

STAR FLEET BATTLES

MODULE R2

Federation



Kzinti



Andro




Orion



COLOR SSD BOOK



STAR FLEET BATTLES



CAPTAIN'S MODULE R2 SSD BOOK 2012 EDITION

FEDERATION SHIPS

R2.8+52...	Federation Fleet Repair Tug	2
R2.29A	Federation CVB Strike Carrier (CVB)	12
R2.32	Federation Space Control Ship (SCS)	5
R2.32A	Federation Space Control Ship (SCSA)	6
R2.33	Federation <i>Kirov</i> -Class Battlecruiser (BCG)	7
R2.34	Federation <i>Bismarck</i> -Class Battlecruiser (BCF)	8
R2.36	Federation New Drone Cruiser (NCD)	9
R2.37	Federation Light Command Cruiser (CLC)	10
R2.38	Federation Light Tactical Transport (LTT)	11
R2.38+57	Federation Light Transport Carrier (LTV)	24
R2.38+58	Federation Light Battle Transport (LBT)	25
R2.39	Federation Light Survey Cruiser (CLS)	13
R2.39A	Federation Escort Carrier (CVE)	13
R2.40	Federation Hospital Ship (CLH)	14
R2.42-42A	Federation Escort Frigate-R (FFR)	15
R2.43	Federation Plasma Frigate (FFL)	16
R2.44	Federation Scout Frigate (FFS)	17
R2.45	Federation Drone Frigate (FFD)	18
R2.46	Federation Minehunter Frigate (FFM)	19
R2.47	Federation Priority Transport (FFT)	20
R2.48	Federation VIP Transport (FFP)	21
R2.49	Federation Escort Carrier (FFV)	22
R2.50	Federation Battle Frigate (FFB)	23
R2.52-54	Federation Troop, Repair, and Defense Pods	3
R2.57-58	Federation Light Battle and Light Carrier Pods	4
R2.59	Federation New Aegis Cruiser (NAC)	26
R2.60	Federation New Strike Carrier (NVS)	27
R2.61	Federation New Dreadnought (DNG)	28
R2.62-62A	Federation Destroyer Escort-R (DER)	29
R2.63	Federation New Escort Cruiser-R (NER)	30
R2.64	Federation <i>New Jersey</i> -Class Battlecruiser	31
R2.65	Federation War Destroyer (DW)	32
R2.66	Federation War Destroyer Scout (DWS)	33
R2.67	Federation War Drone Destroyer (DWD)	34
R2.68	Federation War Destroyer Escort (DWA)	35
R2.69	Federation War Priority Transport (DWT)	36
R2.70	Federation War Minesweeper (DWM)	37
R2.71	Federation War Command Destroyer (DWC)	38
R2.72	Federation PFT Pod	3

KZINTI SHIPS

R5.12+39	Kzinti Transport Repair Tug (TGT)	64
R5.26	Kzinti Medium Command Cruiser (MCC)	39
R5.27	Kzinti Medium Carrier (MCV)	40

R5.30	Kzinti Medium Minesweeper (MMS)	41
R5.31	Kzinti Medium Drone Cruiser (MDC)	42
R5.32	Kzinti Medium Scout Cruiser (MSC)	43
R5.33	Kzinti Medium PF Tender (MPF)	44
R5.34	Kzinti Medium Tactical Transport (MTT)	45
R5.34+15	Kzinti Medium Battle Transport (MBT)	46
R5.35	Kzinti Destroyer (DD)	47
R5.36	Kzinti Police Corvette (POL)	48
R5.37	Kzinti Survey Cruiser (SR)	49
R5.37A	Kzinti Survey Carrier (SRV)	49
R5.38-40	Kzinti Heavy Carrier, Repair, and PFT Pods	50
R5.41	Kzinti Heavy Frigate (FH)	51
R5.42	Kzinti Dreadnought (DN)	53
R5.43	Kzinti Heavy Battlecruiser (BCH)	54
R5.44	Kzinti War Destroyer (DW)	55
R5.45	Kzinti War Destroyer Leader (DWL)	56
R5.46	Kzinti FFK Frigate (C-9) REFIT (FFK)	52
R5.47	Kzinti Drone Cruiser (CD)	57
R5.48	Kzinti Heavy Cruiser (CA)	58
R5.49	Kzinti War Destroyer Scout (DWS)	59
R5.50	Kzinti War Destroyer Escort (DWE)	60
R5.51	Kzinti War Destroyer Aegis Escort (DWA)	60
R5.52	Kzinti War Drone Destroyer (DWD)	61
R5.53	Kzinti Combat Tug (TGC)	62
R5.53+15	Kzinti Combat Battle Tug (CBT)	63
R5.55	Kzinti Scout Drone Frigate (SDF)	65
R5.56	Kzinti First Carrier (DDV)	66

ORION SHIPS

R8.14	Orion Double Raider (DBR)	67
R8.15	Orion OK6 Cruiser (OK6)	68
R8.17	Orion Heavy Battlecruiser (BCH)	69
R8.18	Orion War Destroyer (DW)	70
R8.20	Orion Heavy Raider (HR)	71
R8.21	Orion Medium Raider (MR)	72
R8.22	Orion Attack Raider (AR)	73
R8.23	Orion Light Raider Scout (LRS)	74
R8.24	Orion War Destroyer Scout (DWS)	75
R8.25	Orion Double Raider PF Tender (DBP)	76

ANDROMEDAN SHIPS

R10.18-19	Andromedan Small and Medium Cargo Pods	77
R10.22	Andromedan King Snake Cargo Ship (KIN)	78
R10.24	Andromedan Asp Mauler Frigate (ASP)	79
R10.25	Andromedan Anaconda Heavy Scout (ANA)	80

Purchasers of this product have the permission of the copyright holder to make a reasonable number of copies of these SSDs for their own personal use or for use in tournaments. Reproduction for sale is not authorized.

FEDERATION FLEET REPAIR TUG

CNTR

SHIP DATA TABLE	
TYPE	TUG
POINT VALUE	88/60
BREAKDOWN	2-6
SHIELD COST	1+1
LIFE SUPPORT	1
SIZE CLASS	3
REFERENCE	R2.8
PLUS REFIT (Y165)	+8
Y175 REFIT	+0

ADMINISTRATIVE SHUTTLES	
IDENT	HIT POINTS
	A A
	A A

HIT POINTS MARKED "A" ARE ONLY UTILIZED WHEN OPERATING ADVANCED SHUTTLES AFTER Y179; SEE (J17.0) IN MODULE J2.

TRANSPORTER BOMBS	
	D D D D

PROBES [5] SHADED BOXES ARE PROVIDED BY THE REPAIR POD. SHIP HAS ONE "POD WEIGHT"; CHARTS ARE PROVIDED IN CASE THE PLAYER ADDS A SECOND POD (TWO POD WEIGHTS) OR TEMPORARILY DROPS THE REPAIR POD TO PICK UP A DOUBLE-WEIGHT POD AND THEN PICKS UP A SECOND SINGLE-WEIGHT POD (THREE POD WEIGHTS).

TYPE I OFFENSIVE PHASER TABLE	
DIE RANGE	6- 9- 16- 26- 51- ROLL 0 1 2 3 4 5 8 15 25 50 75
1	9 8 7 6 5 4 3 2 1 1 0
2	8 7 6 5 4 3 2 1 0 0 0
3	7 5 4 4 4 3 1 0 0 0 0
4	6 4 4 4 4 3 2 0 0 0 0
5	4 4 4 4 3 3 1 0 0 0 0
6	4 4 3 3 2 2 0 0 0 0 0

TYPE III DEFENSE PHASER	
DIE RANGE	4- 9- ROLL 0 1 2 3 8 15
1	4 4 4 3 1 1
2	4 4 4 2 1 0
3	4 4 4 1 0 0
4	4 4 3 0 0 0
5	4 3 2 0 0 0
6	3 3 1 0 0 0

ANTI-DRONE TABLE	
RANGE	0 1 2 3 4+
HIT#	- 1-2 1-3 1-4 -

DRONE RACK	
1	[6]

RACK ADDED BY THE PLUS REFIT. RACK HAD TWO RELOADS PRIOR TO Y175, THREE THEREAFTER. ONE RELOAD IS ENTIRELY ADDS.

WARP ENERGY MOVEMENT COST = 1 + 1/2 ENERGY POINT PER HEX [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 33 35 36 38 39 41 42 44 45
Fract.	1 1/2 3 4 1/2 6 7 1/2 9 10 1/2 12 13 1/2 15 16 1/2 18 19 1/2 21 22 1/2 24 25 1/2 27 28 1/2 30 31 1/2 33 34 1/2 36 37 1/2 39 40 1/2 42 43 1/2 45

SHIP DATA TABLE	
TYPE	TUG
POINT VALUE	88/60
BREAKDOWN	2-6
SHIELD COST	1+1
LIFE SUPPORT	1
SIZE CLASS	3
REFERENCE	R2.8
PLUS REFIT (Y165)	+8
Y175 REFIT	+0

CNTR

WITH 0 OR 1 POD	
TURN MODE	SPEED
1	2-4
2	5-8
3	9-12
4	13-17
5	18-24
6	25+

WITH 2 PODS	
TURN MODE	SPEED
1	2-3
2	4-6
3	7-10
4	11-14
5	15-20
6	21-29
7	30+

WITH 3 POD WEIGHTS	
TURN MODE	SPEED
1	2-3
2	4-5
3	6-9
4	10-13
5	14-17
6	18-23
7	24-29
8	30+

POD DATA TABLE	
YS:160	TYPE = P-R
DK:4	BPY = 44/22
EX:+2	SIZE = 4°
CR:+0	REF = R2.52
POD	MOVE HET EM
WT	COST COST COST
0-1	10 5 6
2	15 7.5 9
3	2.0 10 12

REPAIR PODS HAVE A TOWING COST OF 0.3333 IF DROPPED DURING A SCENARIO.

WARP ENERGY MOVEMENT COST = 1 + 1/2 ENERGY POINT PER HEX [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 33 35 36 38 39 41 42 44 45
Fract.	1 1/2 3 4 1/2 6 7 1/2 9 10 1/2 12 13 1/2 15 16 1/2 18 19 1/2 21 22 1/2 24 25 1/2 27 28 1/2 30 31 1/2 33 34 1/2 36 37 1/2 39 40 1/2 42 43 1/2 45

WARP ENERGY MOVEMENT COST = 2 [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60

SHIP DATA TABLE	
TYPE	TUG
POINT VALUE	88/60
BREAKDOWN	2-6
SHIELD COST	1+1
LIFE SUPPORT	1
SIZE CLASS	3
REFERENCE	R2.8
PLUS REFIT (Y165)	+8
Y175 REFIT	+0

CNTR

WITH 0 OR 1 POD	
TURN MODE	SPEED
1	2-4
2	5-8
3	9-12
4	13-17
5	18-24
6	25+

WITH 2 PODS	
TURN MODE	SPEED
1	2-3
2	4-6
3	7-10
4	11-14
5	15-20
6	21-29
7	30+

WITH 3 POD WEIGHTS	
TURN MODE	SPEED
1	2-3
2	4-5
3	6-9
4	10-13
5	14-17
6	18-23
7	24-29
8	30+

POD DATA TABLE	
YS:160	TYPE = P-R
DK:4	BPY = 44/22
EX:+2	SIZE = 4°
CR:+0	REF = R2.52
POD	MOVE HET EM
WT	COST COST COST
0-1	10 5 6
2	15 7.5 9
3	2.0 10 12

REPAIR PODS HAVE A TOWING COST OF 0.3333 IF DROPPED DURING A SCENARIO.

WARP ENERGY MOVEMENT COST = 1 + 1/2 ENERGY POINT PER HEX [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 33 35 36 38 39 41 42 44 45
Fract.	1 1/2 3 4 1/2 6 7 1/2 9 10 1/2 12 13 1/2 15 16 1/2 18 19 1/2 21 22 1/2 24 25 1/2 27 28 1/2 30 31 1/2 33 34 1/2 36 37 1/2 39 40 1/2 42 43 1/2 45

WARP ENERGY MOVEMENT COST = 2 [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60

SHIP DATA TABLE	
TYPE	TUG
POINT VALUE	88/60
BREAKDOWN	2-6
SHIELD COST	1+1
LIFE SUPPORT	1
SIZE CLASS	3
REFERENCE	R2.8
PLUS REFIT (Y165)	+8
Y175 REFIT	+0

CNTR

WITH 0 OR 1 POD	
TURN MODE	SPEED
1	2-4
2	5-8
3	9-12
4	13-17
5	18-24
6	25+

WITH 2 PODS	
TURN MODE	SPEED
1	2-3
2	4-6
3	7-10
4	11-14
5	15-20
6	21-29
7	30+

WITH 3 POD WEIGHTS	
TURN MODE	SPEED
1	2-3
2	4-5
3	6-9
4	10-13
5	14-17
6	18-23
7	24-29
8	30+

POD DATA TABLE	
YS:160	TYPE = P-R
DK:4	BPY = 44/22
EX:+2	SIZE = 4°
CR:+0	REF = R2.52
POD	MOVE HET EM
WT	COST COST COST
0-1	10 5 6
2	15 7.5 9
3	2.0 10 12

REPAIR PODS HAVE A TOWING COST OF 0.3333 IF DROPPED DURING A SCENARIO.

WARP ENERGY MOVEMENT COST = 1 + 1/2 ENERGY POINT PER HEX [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 33 35 36 38 39 41 42 44 45
Fract.	1 1/2 3 4 1/2 6 7 1/2 9 10 1/2 12 13 1/2 15 16 1/2 18 19 1/2 21 22 1/2 24 25 1/2 27 28 1/2 30 31 1/2 33 34 1/2 36 37 1/2 39 40 1/2 42 43 1/2 45

WARP ENERGY MOVEMENT COST = 2 [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60

SHIP DATA TABLE	
TYPE	TUG
POINT VALUE	88/60
BREAKDOWN	2-6
SHIELD COST	1+1
LIFE SUPPORT	1
SIZE CLASS	3
REFERENCE	R2.8
PLUS REFIT (Y165)	+8
Y175 REFIT	+0

CNTR

WITH 0 OR 1 POD	
TURN MODE	SPEED
1	2-4
2	5-8
3	9-12
4	13-17
5	18-24
6	25+

WITH 2 PODS	
TURN MODE	SPEED
1	2-3
2	4-6
3	7-10
4	11-14
5	15-20
6	21-29
7	30+

WITH 3 POD WEIGHTS	
TURN MODE	SPEED
1	2-3
2	4-5
3	6-9
4	10-13
5	14-17
6	18-23
7	24-29
8	30+

POD DATA TABLE	
YS:160	TYPE = P-R
DK:4	BPY = 44/22
EX:+2	SIZE = 4°
CR:+0	REF = R2.52
POD	MOVE HET EM
WT	COST COST COST
0-1	10 5 6
2	15 7.5 9
3	2.0 10 12

REPAIR PODS HAVE A TOWING COST OF 0.3333 IF DROPPED DURING A SCENARIO.

WARP ENERGY MOVEMENT COST = 1 + 1/2 ENERGY POINT PER HEX [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 33 35 36 38 39 41 42 44 45
Fract.	1 1/2 3 4 1/2 6 7 1/2 9 10 1/2 12 13 1/2 15 16 1/2 18 19 1/2 21 22 1/2 24 25 1/2 27 28 1/2 30 31 1/2 33 34 1/2 36 37 1/2 39 40 1/2 42 43 1/2 45

WARP ENERGY MOVEMENT COST = 2 [5] = HET COST	
SPEED	1 2 3 4 [5] 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
Standard	2 3 5 6 8 9 11 12 14 15 17 18 20 21 23 24 26 27 29 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60

SHIP DATA TABLE	
TYPE	TUG
POINT VALUE	88/60
BREAKDOWN	2-6
SHIELD COST	1+1
LIFE SUPPORT	1
SIZE CLASS	3
REFERENCE	R2.8
PLUS REFIT (Y165)	+8
Y175 REFIT	+0

CNTR

WITH 0 OR 1 POD	
TURN MODE	SPEED
1	2-4
2	5-8
3	9-12
4	13-17
5	18-24
6	25+

WITH 2 PODS	
TURN MODE	SPEED
1	2-3
2	4-6
3	7-10
4	11-14
5	15-20
6	21-29
7	30+